

Multimorbidity publications September-December 2018

1. Rosella L, Kornas K. Putting a Population Health Lens to Multimorbidity in Ontario. *Healthc Q* 2018;21(3):8-11. doi: 10.12927/hcq.2018.25709
2. Grischott T, Zechmann S, Rachamin Y, et al. Improving inappropriate medication and information transfer at hospital discharge: study protocol for a cluster RCT. *Implement Sci* 2018;13(1):155. doi: 10.1186/s13012-018-0839-1
3. Lai FTT, Wong SYS, Yip BHK, et al. Multimorbidity in middle age predicts more subsequent hospital admissions than in older age: A nine-year retrospective cohort study of 121,188 discharged in-patients. *Eur J Intern Med* 2018 doi: 10.1016/j.ejim.2018.12.001
4. McKenzie KJ, Pierce D, Mercer SW, et al. Do GPs use motivational interviewing skills in routine consultations with patients living with mental-physical multimorbidity? An observational study of primary care in Scotland. *Chronic Illn* 2018:1742395318815960. doi: 10.1177/1742395318815960
5. Moin JS, Moineddin R, Upshur REG. Measuring the association between marginalization and multimorbidity in Ontario, Canada: A cross-sectional study. *J Comorb* 2018;8(1):2235042X18814939. doi: 10.1177/2235042X18814939
6. Ofori-Asenso R, Ilomaki J, Curtis AJ, et al. Patterns of Medication Dispensation for Multiple Comorbidities among Older Adults in Australia. *Pharmacy (Basel)* 2018;6(4) doi: 10.3390/pharmacy6040134
7. Schafer I, Kaduszkiewicz H, Nguyen TS, et al. Multimorbidity patterns and 5-year overall mortality: Results from a claims data-based observational study. *J Comorb* 2018;8(1):2235042X18816588. doi: 10.1177/2235042X18816588
8. Buja A, Claus M, Perin L, et al. Multimorbidity patterns in high-need, high-cost elderly patients. *PLoS One* 2018;13(12):e0208875. doi: 10.1371/journal.pone.0208875
9. Millar E, Gurney J, Stanley J, et al. Pill for this and a pill for that: A cross-sectional survey of use and understanding of medication among adults with multimorbidity. *Australas J Ageing* 2018 doi: 10.1111/ajag.12606
10. Fortin M. "It-that-must-not-be-named": Addressing patient discomfort with the term multimorbidity. *Can Fam Physician* 2018;64(12):881-82.
11. Buja A, Rivera M, De Battisti E, et al. Multimorbidity and Hospital Admissions in High-Need, High-Cost Elderly Patients. *J Aging Health* 2018:898264318817091. doi: 10.1177/0898264318817091
12. Wastesson JW, Morin L, Tan ECK, et al. An update on the clinical consequences of polypharmacy in older adults: a narrative review. *Expert Opin Drug Saf* 2018;17(12):1185-96. doi: 10.1080/14740338.2018.1546841
13. Ge L, Ong R, Yap CW, et al. Effects of chronic diseases on health-related quality of life and self-rated health among three adult age groups. *Nurs Health Sci* 2018 doi: 10.1111/nhs.12585
14. Barker K, Holland AE, Lee AL, et al. Multimorbidity rehabilitation versus disease-specific rehabilitation in people with chronic diseases: a pilot randomized controlled trial. *Pilot Feasibility Stud* 2018;4:181. doi: 10.1186/s40814-018-0369-2
15. O'Connor S, Deaton C, Nolan F, et al. Nursing in an age of multimorbidity. *BMC Nurs* 2018;17:49. doi: 10.1186/s12912-018-0321-z

16. Marengoni A, Vetrano DL, Onder G. Target Population for Clinical Trials on Multimorbidity: Is Disease Count Enough? *J Am Med Dir Assoc* 2019;20(2):113-14. doi: 10.1016/j.jamda.2018.10.012
17. Kinchin I, Jacups S, Mann J, et al. Efficacy and cost-effectiveness of a community-based model of care for older patients with complex needs: a study protocol for a multicentre randomised controlled trial using a stepped wedge cluster design. *Trials* 2018;19(1):668. doi: 10.1186/s13063-018-3038-0
18. Vancampfort D, Stubbs B, Firth J, et al. Handgrip strength, chronic physical conditions and physical multimorbidity in middle-aged and older adults in six low- and middle income countries. *Eur J Intern Med* 2018 doi: 10.1016/j.ejim.2018.11.007
19. Todd A, Jansen J, Colvin J, et al. The deprescribing rainbow: a conceptual framework highlighting the importance of patient context when stopping medication in older people. *BMC Geriatr* 2018;18(1):295. doi: 10.1186/s12877-018-0978-x
20. Tyrer F, Dunkley AJ, Singh J, et al. Multimorbidity and lifestyle factors among adults with intellectual disabilities: a cross-sectional analysis of a UK cohort. *Journal of intellectual disability research : JIDR* 2019;63(3):255-65. doi: 10.1111/jir.12571
21. Costa CDS, Flores TR, Wendt A, et al. Inequalities in multimorbidity among elderly: a population-based study in a city in Southern Brazil. *Cad Saude Publica* 2018;34(11):e00040718. doi: 10.1590/0102-311X00040718
22. Morgan SA, Eyles C, Roderick PJ, et al. Women living with multi-morbidity in the Greater Accra Region of Ghana: a qualitative study guided by the Cumulative Complexity Model. *J Biosoc Sci* 2018;1-16. doi: 10.1017/S0021932018000342
23. Wei MY, Mukamal KJ. Multimorbidity and Mental Health-Related Quality of Life and Risk of Completed Suicide. *J Am Geriatr Soc* 2018 doi: 10.1111/jgs.15678
24. Soto-Gordoa M, de Manuel E, Fullaondo A, et al. Impact of stratification on the effectiveness of a comprehensive patient-centered strategy for multimorbid patients. *Health Serv Res* 2018 doi: 10.1111/1475-6773.13094
25. van Bruchem-Visser RL. Taking care of the multimorbid patient, a primary task of the internist. *Neth J Med* 2018;76(9):388.
26. Verhoeff M, van der Zaag HJ, Vermeeren Y, et al. Secondary care experiences of patients with multiple chronic conditions. *Neth J Med* 2018;76(9):397-406.
27. Xu X, Mishra GD, Dobson AJ, et al. Short-term weight gain is associated with accumulation of multimorbidity in mid-aged women: a 20-year cohort study. *Int J Obes (Lond)* 2018 doi: 10.1038/s41366-018-0250-7
28. Carvalho JN, de Camargo Cancela M, de Souza DLB. Lifestyle factors and high body mass index are associated with different multimorbidity clusters in the Brazilian population. *PLoS One* 2018;13(11):e0207649. doi: 10.1371/journal.pone.0207649
29. Melchiorre MG, Lamura G, Barbabella F, et al. eHealth for people with multimorbidity: Results from the ICARE4EU project and insights from the "10 e's" by Gunther Eysenbach. *PLoS One* 2018;13(11):e0207292. doi: 10.1371/journal.pone.0207292
30. Curtin D, Dukelow T, James K, et al. Deprescribing in multi-morbid older people with polypharmacy: agreement between STOPPFrail explicit criteria and gold standard deprescribing using 100 standardized clinical cases. *Eur J Clin Pharmacol* 2018 doi: 10.1007/s00228-018-2598-y
31. Hurst JR, Dickhaus J, Maulik PK, et al. Global Alliance for Chronic Disease researchers' statement on multimorbidity. *Lancet Glob Health* 2018;6(12):e1270-e71. doi: 10.1016/S2214-109X(18)30391-7

32. Toscano Guzman MD, Galvan Banqueri M, Otero MJ, et al. Validating a Trigger Tool for Detecting Adverse Drug Events in Elderly Patients With Multimorbidity (TRIGGER-CHRON). *J Patient Saf* 2018 doi: 10.1097/PTS.0000000000000552
33. Hajat C, Stein E. The global burden of multiple chronic conditions: A narrative review. *Prev Med Rep* 2018;12:284-93. doi: 10.1016/j.pmedr.2018.10.008
34. Araujo MEA, Silva MT, Galvao TF, et al. Prevalence and patterns of multimorbidity in Amazon Region of Brazil and associated determinants: a cross-sectional study. *BMJ Open* 2018;8(11):e023398. doi: 10.1136/bmjopen-2018-023398
35. Schiotz ML, Frolich A, Jensen AK, et al. Polypharmacy and medication deprescribing: A survey among multimorbid older adults in Denmark. *Pharmacol Res Perspect* 2018;6(6):e00431. doi: 10.1002/prp2.431
36. Kadam UT, Roberts I, White S, et al. Conceptualizing multiple drug use in patients with comorbidity and multimorbidity: proposal for standard definitions beyond the term polypharmacy. *J Clin Epidemiol* 2019;106:98-107. doi: 10.1016/j.jclinepi.2018.10.014
37. Nunes BP, Batista SRR, Andrade FB, et al. Multimorbidity: The Brazilian Longitudinal Study of Aging (ELSI-Brazil). *Rev Saude Publica* 2018;52Suppl 2(Suppl 2):10s. doi: 10.11606/S1518-8787.2018052000637
38. Hernandez-Zambrano SM, Mesa-Melgarejo L, Carrillo-Algarra AJ, et al. Effectiveness of a case management model for the comprehensive provision of health services to multi-pathological people. *J Adv Nurs* 2018 doi: 10.1111/jan.13892
39. Amell A, Roso-Llorach A, Palomero L, et al. Disease networks identify specific conditions and pleiotropy influencing multimorbidity in the general population. *Sci Rep* 2018;8(1):15970. doi: 10.1038/s41598-018-34361-3
40. Han BH, Termine DJ, Moore AA, et al. Medical multimorbidity and drug use among adults in the United States. *Prev Med Rep* 2018;12:214-19. doi: 10.1016/j.pmedr.2018.10.007
41. Ferreira GD, Simoes JA, Senaratna C, et al. Physiological markers and multimorbidity: A systematic review. *J Comorb* 2018;8(1):2235042X18806986. doi: 10.1177/2235042X18806986
42. Willadsen TG, Siersma V, Nicolaisdottir DR, et al. Multimorbidity and mortality: A 15-year longitudinal registry-based nationwide Danish population study. *J Comorb* 2018;8(1):2235042X18804063. doi: 10.1177/2235042X18804063
43. Griffith LE, Gruneir A, Fisher KA, et al. Key factors to consider when measuring multimorbidity: Results from an expert panel and online survey. *J Comorb* 2018;8(1):2235042X18795306. doi: 10.1177/2235042X18795306
44. Calderon-Larranaga A, Vetrano DL, Ferrucci L, et al. Multimorbidity and functional impairment: bidirectional interplay, synergistic effects and common pathways. *J Intern Med* 2018 doi: 10.1111/joim.12843
45. Muth C, Blom JW, Smith SM, et al. Evidence supporting the best clinical management of patients with multimorbidity and polypharmacy: a systematic guideline review and expert consensus. *J Intern Med* 2018 doi: 10.1111/joim.12842
46. Jack E, Maskrey N, Byng R. SHERPA: a new model for clinical decision making in patients with multimorbidity. *Lancet* 2018;392(10156):1397-99. doi: 10.1016/S0140-6736(18)31371-0
47. Mbizo J, Okafor A, Sutton MA, et al. Complementary and alternative medicine use among persons with multiple chronic conditions: results from the 2012 National Health Interview Survey. *BMC Complement Altern Med* 2018;18(1):281. doi: 10.1186/s12906-018-2342-2

48. Henchoz Y, Seematter-Bagnoud L, Nanchen D, et al. Childhood adversity: A gateway to multimorbidity in older age? *Arch Gerontol Geriatr* 2019;80:31-37. doi: 10.1016/j.archger.2018.10.003
49. Filipcic I, Simunovic Filipcic I, Grosic V, et al. Patterns of chronic physical multimorbidity in psychiatric and general population. *J Psychosom Res* 2018;114:72-80. doi: 10.1016/j.jpsychores.2018.09.011
50. Mantelli S, Jungo KT, Rozsnyai Z, et al. How general practitioners would deprescribe in frail oldest-old with polypharmacy - the LESS study. *BMC Fam Pract* 2018;19(1):169. doi: 10.1186/s12875-018-0856-9
51. Wu LT, Zhu H, Ghitza UE. Multicomorbidity of chronic diseases and substance use disorders and their association with hospitalization: Results from electronic health records data. *Drug Alcohol Depend* 2018;192:316-23. doi: 10.1016/j.drugalcdep.2018.08.013
52. Ferro MA, Lipman EL, Van Lieshout RJ, et al. Mental-Physical Multimorbidity in Youth: Associations with Individual, Family, and Health Service Use Outcomes. *Child Psychiatry Hum Dev* 2018 doi: 10.1007/s10578-018-0848-y
53. Bilici E, Despotou G, Arvanitis TN. The use of computer-interpretable clinical guidelines to manage care complexities of patients with multimorbid conditions: A review. *Digit Health* 2018;4:2055207618804927. doi: 10.1177/2055207618804927
54. Schuttner L, Parchman M. Team-Based Primary Care for the Multimorbid Patient: Matching Complexity With Complexity. *Am J Med* 2018 doi: 10.1016/j.amjmed.2018.09.029
55. Treadwell J. Ideal model of care for multimorbidity: the search continues. *Drug Ther Bull* 2018;56(11):126. doi: 10.1136/dtb.2018.11.000025
56. Rivera-Almaraz A, Manrique-Espinoza B, Avila-Funes JA, et al. Disability, quality of life and all-cause mortality in older Mexican adults: association with multimorbidity and frailty. *BMC Geriatr* 2018;18(1):236. doi: 10.1186/s12877-018-0928-7
57. McGilton KS, Vellani S, Yeung L, et al. Identifying and understanding the health and social care needs of older adults with multiple chronic conditions and their caregivers: a scoping review. *BMC Geriatr* 2018;18(1):231. doi: 10.1186/s12877-018-0925-x
58. Blaum CS, Rosen J, Naik AD, et al. Feasibility of Implementing Patient Priorities Care for Older Adults with Multiple Chronic Conditions. *J Am Geriatr Soc* 2018;66(10):2009-16. doi: 10.1111/jgs.15465
59. Amaral TLM, Amaral CA, Lima NS, et al. Multimorbidity, depression and quality of life among elderly people assisted in the Family Health Strategy in Senador Guimard, Acre, Brazil. *Cien Saude Colet* 2018;23(9):3077-84. doi: 10.1590/1413-81232018239.22532016
60. Castro-Rodriguez A, Machado-Duque ME, Gaviria-Mendoza A, et al. Factors related to excessive polypharmacy (≥ 15 medications) in an outpatient population from Colombia. *Int J Clin Pract* 2018:e13278. doi: 10.1111/ijcp.13278
61. Walker C. A commentary on Martin's "What matters in 'multimorbidity'? Arguably resilience and personal health experience are central to quality of life and optimizing survival." *J. Eval. Clin. Pract.* 2016; 1-3. *J Eval Clin Pract* 2018;24(6):1291-92. doi: 10.1111/jep.13027
62. Nicholson K, Makovski TT, Griffith LE, et al. Multimorbidity and comorbidity revisited: refining the concepts for international health research. *J Clin Epidemiol* 2019;105:142-46. doi: 10.1016/j.jclinepi.2018.09.008
63. Sirois C, Lunghi C, Laroche ML, et al. The delicate choice of optimal basic therapy for multimorbid older adults: A cross-sectional survey. *Res Social Adm Pharm* 2018 doi: 10.1016/j.sapharm.2018.09.008
64. Jessup RL, Putrik P, Beauchamp A. Improving health information to address low health literacy for patients with multimorbidity. *Aust Health Rev* 2018 doi: 10.1071/AH18116

65. Laursen J, Kornholt J, Betzer C, et al. General Practitioners' Barriers Toward Medication Reviews in Polymedicated Multimorbid Patients: How can a Focus on the Pharmacotherapy in an Outpatient Clinic Support GPs? *Health Serv Res Manag Epidemiol* 2018;5:2333392818792169. doi: 10.1177/2333392818792169
66. Fernandez-Lazaro CI, Adams DP, Fernandez-Lazaro D, et al. Medication adherence and barriers among low-income, uninsured patients with multiple chronic conditions. *Res Social Adm Pharm* 2018 doi: 10.1016/j.sapharm.2018.09.006
67. Cheng C, Inder K, Chan SW. Patients' experiences of coping with multiple chronic conditions: A meta-ethnography of qualitative work. *Int J Ment Health Nurs* 2019;28(1):54-70. doi: 10.1111/inm.12544
68. Park B, Ock M, Lee HA, et al. Multimorbidity and health-related quality of life in Koreans aged 50 or older using KNHANES 2013-2014. *Health Qual Life Outcomes* 2018;16(1):186. doi: 10.1186/s12955-018-1016-6
69. Joensson ABR, Guassora AD, Freil M, et al. What the doctor doesn't know: Discarded patient knowledge of older adults with multimorbidity. *Chronic Illn* 2018:1742395318796173. doi: 10.1177/1742395318796173
70. Huang W, Rose AJ, Bayliss E, et al. Adapting summary scores for the PROMIS-29 v2.0 for use among older adults with multiple chronic conditions. *Qual Life Res* 2019;28(1):199-210. doi: 10.1007/s11136-018-1988-z
71. Jones JA, Reeve CA. Factors influencing the use of clinical guidelines by general practitioners working in a setting of complex multimorbidity: a case study by interviews. *BMC Fam Pract* 2018;19(1):157. doi: 10.1186/s12875-018-0834-2
72. Scholz Mellum J, Martsof DS, Glazer G, et al. How older adults with multimorbidity manage their own care within a formal care coordination program? *Geriatr Nurs* 2019;40(1):56-62. doi: 10.1016/j.gerinurse.2018.06.006
73. Lebenbaum M, Zaric GS, Thind A, et al. Trends in obesity and multimorbidity in Canada. *Prev Med* 2018;116:173-79. doi: 10.1016/j.ypmed.2018.08.025
74. Daker-White G, Hays R, Blakeman T, et al. Safety work and risk management as burdens of treatment in primary care: insights from a focused ethnographic study of patients with multimorbidity. *BMC Fam Pract* 2018;19(1):155. doi: 10.1186/s12875-018-0844-0
75. Heid AR, Gerber AR, Kim DS, et al. Timing of onset and self-management of multiple chronic conditions: A qualitative examination taking a lifespan perspective. *Chronic Illn* 2018:1742395318792066. doi: 10.1177/1742395318792066
76. Nicholson C, Davies JM, George R, et al. What are the main palliative care symptoms and concerns of older people with multimorbidity?-a comparative cross-sectional study using routinely collected Phase of Illness, Australia-modified Karnofsky Performance Status and Integrated Palliative Care Outcome Scale data. *Ann Palliat Med* 2018;7(Suppl 3):S164-S75. doi: 10.21037/apm.2018.06.07
77. Chen H, Cheng M, Zhuang Y, et al. Multimorbidity among middle-aged and older persons in urban China: Prevalence, characteristics and health service utilization. *Geriatr Gerontol Int* 2018;18(10):1447-52. doi: 10.1111/ggi.13510
78. Kadijk EA, van den Heuvel S, Ybema JF, et al. The Influence of Multi-morbidity on the Work Ability of Ageing Employees and the Role of Coping Style. *J Occup Rehabil* 2018 doi: 10.1007/s10926-018-9811-9
79. McKinlay E, McDonald J, Darlow B, et al. The social networks of New Zealand patients with multimorbidity and the work of those nominated as their 'significant supporters': An exploratory study. *Health Soc Care Community* 2019;27(2):392-99. doi: 10.1111/hsc.12657

80. Mannucci PM, Nobili A, Pasina L, et al. Polypharmacy in older people: lessons from 10 years of experience with the REPOSI register. *Intern Emerg Med* 2018;13(8):1191-200. doi: 10.1007/s11739-018-1941-8
81. De Maria M, Vellone E, Ausili D, et al. Self-care of patient and caregiver DyAds in multiple chronic conditions: A Longitudinal study (SODALITY) protocol. *J Adv Nurs* 2019;75(2):461-71. doi: 10.1111/jan.13834
82. Tyack Z, Kuys S, Cornwell P, et al. Reproducibility, longitudinal validity and interpretability of the Disease Burden Morbidity Assessment in people with chronic disease. *Chronic Illn* 2018;14(4):310-25. doi: 10.1177/1742395318789469
83. Behm L, Bjorkman E, Ahlstrom G. Mental health and reactions to caregiving among next of kin of older people (65+) with multi-morbidity discharged home after hospitalization. *Scand J Caring Sci* 2018;32(4):1458-67. doi: 10.1111/scs.12592
84. Swietek KE, Domino ME, Beadles C, et al. Do Medical Homes Improve Quality of Care for Persons with Multiple Chronic Conditions? *Health Serv Res* 2018;53(6):4667-81. doi: 10.1111/1475-6773.13024
85. Rose AJ, Bayliss E, Huang W, et al. Evaluating the PROMIS-29 v2.0 for use among older adults with multiple chronic conditions. *Qual Life Res* 2018;27(11):2935-44. doi: 10.1007/s11136-018-1958-5
86. Kostev K, Jacob L. Multimorbidity and polypharmacy among elderly people followed in general practices in Germany. *Eur J Intern Med* 2018;55:66-68. doi: 10.1016/j.ejim.2018.07.014
87. Ryan BL, Bray Jenkyn K, Shariff SZ, et al. Beyond the grey tsunami: a cross-sectional population-based study of multimorbidity in Ontario. *Can J Public Health* 2018;109(5-6):845-54. doi: 10.17269/s41997-018-0103-0
88. Constantinou P, Tuppin P, Fagot-Campagna A, et al. Two morbidity indices developed in a nationwide population permitted performant outcome-specific severity adjustment. *J Clin Epidemiol* 2018;103:60-70. doi: 10.1016/j.jclinepi.2018.07.003
89. Ng SK, Tawiah R, Sawyer M, et al. Patterns of multimorbid health conditions: a systematic review of analytical methods and comparison analysis. *Int J Epidemiol* 2018;47(5):1687-704. doi: 10.1093/ije/dyy134
90. Exner A, Kleinstaubler M, Maier W, et al. Cross-cultural validation of the German version of the Four-Dimensional Symptom Questionnaire (4DSQ) in multimorbid elderly people. *Qual Life Res* 2018;27(10):2691-97. doi: 10.1007/s11136-018-1924-2
91. Basu J, Hanchate A, Koroukian S. Multiple Chronic Conditions and Disparities in 30-Day Hospital Readmissions Among Nonelderly Adults. *J Ambul Care Manage* 2018;41(4):262-73. doi: 10.1097/JAC.0000000000000246
92. Valdivieso B, Garcia-Sempere A, Sanfeliu-Gimeno G, et al. The effect of telehealth, telephone support or usual care on quality of life, mortality and healthcare utilization in elderly high-risk patients with multiple chronic conditions. A prospective study. *Med Clin (Barc)* 2018;151(8):308-14. doi: 10.1016/j.medcli.2018.03.013
93. Dankel SJ, Loenneke JP, Loprinzi PD. The Impact of Overweight/Obesity Duration and Physical Activity on Medical Multimorbidity: Examining the WATCH Paradigm. *Am J Health Promot* 2018;32(8):1747-50. doi: 10.1177/0890117118768893
94. Zhang W, Radhakrishnan K. Evidence on selection, optimization, and compensation strategies to optimize aging with multiple chronic conditions: A literature review. *Geriatr Nurs* 2018;39(5):534-42. doi: 10.1016/j.gerinurse.2018.02.013

95. Jarling A, Rydstrom I, Ernsth-Bravell M, et al. Becoming a guest in your own home: Home care in Sweden from the perspective of older people with multimorbidities. *Int J Older People Nurs* 2018;13(3):e12194. doi: 10.1111/opn.12194
96. Prazeres F, Santiago L. Measuring multimorbidity in family practice-a comparison of two methods. *Fam Pract* 2018;35(5):571-75. doi: 10.1093/fampra/cmz014
97. McCaskill GM, Bolland KA, Brown CJ, et al. Self-Report of Aerobic Activity among Older African Americans with Multiple Chronic Conditions. *J Cross Cult Gerontol* 2018;33(3):287-98. doi: 10.1007/s10823-018-9345-9
98. Marques A, Peralta M, Gouveia ER, et al. Physical activity buffers the negative relationship between multimorbidity, self-rated health and life satisfaction. *J Public Health (Oxf)* 2018;40(3):e328-e35. doi: 10.1093/pubmed/fdy012
99. Kaneva M, Gerry CJ, Baidin V. The effect of chronic conditions and multi-morbidity on self-assessed health in Russia. *Scand J Public Health* 2018;46(8):886-96. doi: 10.1177/1403494817746283
100. Ryan A, Murphy C, Boland F, et al. What Is the Impact of Physical Activity and Physical Function on the Development of Multimorbidity in Older Adults Over Time? A Population-Based Cohort Study. *J Gerontol A Biol Sci Med Sci* 2018;73(11):1538-44. doi: 10.1093/gerona/glx251
101. Vetrano DL, Calderon-Larranaga A, Marengoni A, et al. An International Perspective on Chronic Multimorbidity: Approaching the Elephant in the Room. *J Gerontol A Biol Sci Med Sci* 2018;73(10):1350-56. doi: 10.1093/gerona/glx178
102. Ortenblad L, Meillier L, Jonsson AR. Multi-morbidity: A patient perspective on navigating the health care system and everyday life. *Chronic Illn* 2018;14(4):271-82. doi: 10.1177/1742395317731607
103. Tyack Z, Kuys S, Cornwell P, et al. Health-related quality of life of people with multimorbidity at a community-based, interprofessional student-assisted clinic: Implications for assessment and intervention. *Chronic Illn* 2018;14(3):169-81. doi: 10.1177/1742395317724849
104. Ensrud KE, Lui LY, Langsetmo L, et al. Effects of Mobility and Multimorbidity on Inpatient and Postacute Health Care Utilization. *J Gerontol A Biol Sci Med Sci* 2018;73(10):1343-49. doi: 10.1093/gerona/glx128
105. Canizares M, Hogg-Johnson S, Gignac MAM, et al. Increasing Trajectories of Multimorbidity Over Time: Birth Cohort Differences and the Role of Changes in Obesity and Income. *J Gerontol B Psychol Sci Soc Sci* 2018;73(7):1303-14. doi: 10.1093/geronb/gbx004
106. Cromley EK, Wilson-Genderson M, Heid AR, et al. Spatial Associations of Multiple Chronic Conditions Among Older Adults. *J Appl Gerontol* 2018;37(11):1411-35. doi: 10.1177/0733464816672044
107. Martin CM. What matters in "multimorbidity"? Arguably resilience and personal health experience are central to quality of life and optimizing survival. *J Eval Clin Pract* 2018;24(6):1282-84. doi: 10.1111/jep.12644