

Multimorbidity publications September-December 2019

1. Yu T, Enkh-Amgalan N, Zorigt G, et al. Gender differences and burden of chronic conditions: impact on quality of life among the elderly in Taiwan. *Aging Clin Exp Res* 2019;31(11):1625-33. doi: 10.1007/s40520-018-1099-2
2. Sultan M, Kuluski K, Mclsaac WJ, et al. Turning challenges into design principles: Telemonitoring systems for patients with multiple chronic conditions. *Health Informatics J* 2019;25(4):1188-200. doi: 10.1177/1460458217749882
3. Wong ELY, Xu RH, Cheung AWL. Measuring the impact of chronic conditions and associated multimorbidity on health-related quality of life in the general population in Hong Kong SAR, China: A cross-sectional study. *PLoS One* 2019;14(11):e0224970. doi: 10.1371/journal.pone.0224970
4. Eyowas FA, Schneider M, Yirdaw BA, et al. Multimorbidity of chronic non-communicable diseases and its models of care in low- and middle-income countries: a scoping review protocol. *BMJ Open* 2019;9(10):e033320. doi: 10.1136/bmjopen-2019-033320
5. Christofolletti M, Duca GFD, Umpierre D, et al. Chronic noncommunicable diseases multimorbidity and its association with physical activity and television time in a representative Brazilian population. *Cad Saude Publica* 2019;35(11):e00016319. doi: 10.1590/0102-311X00016319
6. Petarli GB, Cattafesta M, Sant'Anna MM, et al. Multimorbidity and complex multimorbidity in Brazilian rural workers. *PLoS One* 2019;14(11):e0225416. doi: 10.1371/journal.pone.0225416
7. Gawron LM, Sanders JN, Sward K, et al. Multi-morbidity and Highly Effective Contraception in Reproductive-Age Women in the US Intermountain West: a Retrospective Cohort Study. *J Gen Intern Med* 2019 doi: 10.1007/s11606-019-05425-5
8. Jawed M, Inam S, Shah N, et al. Association of obesity measures and multimorbidity in Pakistan: findings from the IMPACT study. *Public Health* 2019;180:51-56. doi: 10.1016/j.puhe.2019.10.017
9. Polenick CA, Birditt KS, Turkelson A, et al. Discordant Chronic Conditions and Depressive Symptoms: Longitudinal Associations Among Middle-Aged and Older Couples. *J Gerontol B Psychol Sci Soc Sci* 2019 doi: 10.1093/geronb/gbz137
10. Tinetti ME, Naik AD, Dindo L, et al. Association of Patient Priorities-Aligned Decision-Making With Patient Outcomes and Ambulatory Health Care Burden Among Older Adults With Multiple Chronic Conditions: A Nonrandomized Clinical Trial. *JAMA Intern Med* 2019 doi: 10.1001/jamainternmed.2019.4235
11. Peart A, Lewis V, Barton C, et al. Providing person-centred care for people with multiple chronic conditions: protocol for a qualitative study incorporating client and staff perspectives. *BMJ Open* 2019;9(10):e030581. doi: 10.1136/bmjopen-2019-030581
12. Wagner E, Patrick DL, Khandelwal N, et al. The Influence of Multimorbidity on Health Care Utilization at the End of Life for Patients with Chronic Conditions. *J Palliat Med* 2019;22(10):1260-65. doi: 10.1089/jpm.2018.0349
13. Dodds RM, Granic A, Robinson SM, et al. Sarcopenia, long-term conditions, and multimorbidity: findings from UK Biobank participants. *J Cachexia Sarcopenia Muscle* 2019 doi: 10.1002/jcsm.12503
14. Majumdar UB, Hunt C, Doupe P, et al. Multiple chronic conditions at a major urban health system: a retrospective cross-sectional analysis of frequencies, costs and comorbidity patterns. *BMJ Open* 2019;9(10):e029340. doi: 10.1136/bmjopen-2019-029340

15. Peng X, Bao X, Xie Y, et al. The mediating effect of pain on the association between multimorbidity and disability and impaired physical performance among community-dwelling older adults in southern China. *Aging Clin Exp Res* 2019 doi: 10.1007/s40520-019-01324-1
16. Zulman DM, Slightam CA, Brandt K, et al. "They are interrelated, one feeds off the other": A taxonomy of perceived disease interactions derived from patients with multiple chronic conditions. *Patient Educ Couns* 2019 doi: 10.1016/j.pec.2019.11.020
17. Polenick CA, Birditt KS, Turkelson A, et al. Individual-Level and Couple-Level Discordant Chronic Conditions: Longitudinal Links to Functional Disability. *Ann Behav Med* 2019 doi: 10.1093/abm/kaz061
18. Park B, Lee HA, Park H. Use of latent class analysis to identify multimorbidity patterns and associated factors in Korean adults aged 50 years and older. *PLoS One* 2019;14(11):e0216259. doi: 10.1371/journal.pone.0216259
19. Montes MC, Bortolotto CC, Tomasi E, et al. Strength and multimorbidity among community-dwelling elderly from southern Brazil. *Nutrition* 2019;71:110636. doi: 10.1016/j.nut.2019.110636
20. Nguyen TN, Ngangue P, Haggerty J, et al. Multimorbidity, polypharmacy and primary prevention in community-dwelling adults in Quebec: a cross-sectional study. *Fam Pract* 2019;36(6):706-12. doi: 10.1093/fampra/cmz023
21. Bowling CB, Deng L, Sakhuja S, et al. Prevalence of Activity Limitations and Association with Multimorbidity Among US Adults 50 to 64 Years Old. *J Gen Intern Med* 2019;34(11):2390-96. doi: 10.1007/s11606-019-05244-8
22. Goldberg DG, Gimm G, Burla SR, et al. Care Experiences of Patients with Multiple Chronic Conditions in a Payer-Based Patient-Centered Medical Home. *Popul Health Manag* 2019 doi: 10.1089/pop.2019.0189
23. Bekic S, Babic F, Filipic I, et al. Clustering of Mental and Physical Comorbidity and the Risk of Frailty in Patients Aged 60 Years or More in Primary Care. *Med Sci Monit* 2019;25:6820-35. doi: 10.12659/MSM.915063
24. Rivera-Almaraz A, Manrique-Espinoza B, Chatterji S, et al. Longitudinal associations of multimorbidity, disability and out-of-pocket health expenditures in households with older adults in Mexico: The study on global AGEing and adult health (SAGE). *Disabil Health J* 2019;12(4):665-72. doi: 10.1016/j.dhjo.2019.03.004
25. Yi JY, Kim H, Chi I. Urban-rural differences in multimorbidity and associated factors in China and Korea: A population-based survey study. *Geriatr Gerontol Int* 2019;19(11):1157-64. doi: 10.1111/ggi.13771
26. Szanton SL, Han H, Campbell J, et al. Shifting paradigms to build resilience among patients and families experiencing multiple chronic conditions. *J Clin Nurs* 2019 doi: 10.1111/jocn.15145
27. Farooq S, Khan T, Zaheer S, et al. Prevalence of anxiety and depressive symptoms and their association with multimorbidity and demographic factors: a community-based, cross-sectional survey in Karachi, Pakistan. *BMJ Open* 2019;9(11):e029315. doi: 10.1136/bmjopen-2019-029315
28. Sum G, Salisbury C, Koh GC, et al. Implications of multimorbidity patterns on health care utilisation and quality of life in middle-income countries: cross-sectional analysis. *J Glob Health* 2019;9(2):020413. doi: 10.7189/jogh.09.020413
29. Cabral GG, Dantas de Souza AC, Barbosa IR, et al. Multimorbidity and Its Impact on Workers: A Review of Longitudinal Studies. *Saf Health Work* 2019;10(4):393-99. doi: 10.1016/j.shaw.2019.08.004

30. Subramaniam M, Zhang Y, Lau JH, et al. Patterns of physical activity and health-related quality of life amongst patients with multimorbidity in a multi-ethnic Asian population. *BMC Public Health* 2019;19(1):1612. doi: 10.1186/s12889-019-7941-4
31. Chamberlain AM, Rutten LJJ, Jacobson DJ, et al. Multimorbidity, functional limitations, and outcomes: Interactions in a population-based cohort of older adults. *J Comorb* 2019;9:2235042X19873486. doi: 10.1177/2235042X19873486
32. Laires PA, Serrano-Alarcon M, Canhao H, et al. Multimorbidity and intention to retire: a cross-sectional study on 14 European countries. *Int J Public Health* 2019 doi: 10.1007/s00038-019-01322-0
33. Troelstra SA, Straker L, Harris M, et al. Multimorbidity is common among young workers and related to increased work absenteeism and presenteeism: results from the population-based Raine Study cohort. *Scand J Work Environ Health* 2019 doi: 10.5271/sjweh.3858
34. Aubert CE, Fankhauser N, Marques-Vidal P, et al. Multimorbidity and healthcare resource utilization in Switzerland: a multicentre cohort study. *BMC Health Serv Res* 2019;19(1):708. doi: 10.1186/s12913-019-4575-2
35. Low LL, Kwan YH, Ko MSM, et al. Epidemiologic Characteristics of Multimorbidity and Sociodemographic Factors Associated With Multimorbidity in a Rapidly Aging Asian Country. *JAMA Netw Open* 2019;2(11):e1915245. doi: 10.1001/jamanetworkopen.2019.15245
36. Dugravot A, Fayosse A, Dumurgier J, et al. Social inequalities in multimorbidity, frailty, disability, and transitions to mortality: a 24-year follow-up of the Whitehall II cohort study. *Lancet Public Health* 2020;5(1):e42-e50. doi: 10.1016/S2468-2667(19)30226-9
37. Cheng C, Yang CY, Inder K, et al. Urban-rural differences in mental health among Chinese patients with multiple chronic conditions. *Int J Ment Health Nurs* 2019 doi: 10.1111/inm.12666
38. Calderon-Larranaga A, Vetrano DL, Welmer AK, et al. Psychological correlates of multimorbidity and disability accumulation in older adults. *Age Ageing* 2019;48(6):789-96. doi: 10.1093/ageing/afz117
39. Whitney DG, Whitney RT, Kamdar NS, et al. Early-Onset Noncommunicable Disease and Multimorbidity Among Adults With Pediatric-Onset Disabilities. *Mayo Clin Proc* 67(2):144-57 2019 doi: 10.1016/j.mayocp.2019.07.010
40. Perez-Ardanaz B, Morales-Asencio JM, Garcia-Pinero JM, et al. Socioeconomic Status and Health Services Utilization for Children With Complex Chronic Conditions Liable to Receive Nurse-Led Services: A Cross-Sectional Study. *J Nurs Scholarsh* 2019;51(5):518-25. doi: 10.1111/jnu.12499
41. Busija L, Lim K, Szoek C, et al. Do replicable profiles of multimorbidity exist? Systematic review and synthesis. *Eur J Epidemiol* 2019;34(11):1025-53. doi: 10.1007/s10654-019-00568-5
42. Oude Hengel K, Robroek SJW, Eekhout I, et al. Educational inequalities in the impact of chronic diseases on exit from paid employment among older workers: a 7-year prospective study in the Netherlands. *Occup Environ Med* 2019;76(10):718-25. doi: 10.1136/oemed-2019-105788
43. Hernandez B, Reilly RB, Kenny RA. Investigation of multimorbidity and prevalent disease combinations in older Irish adults using network analysis and association rules. *Sci Rep* 2019;9(1):14567. doi: 10.1038/s41598-019-51135-7
44. Davis KM, Eckert MC, Shakib S, et al. Development and Implementation of a Nurse-Led Model of Care Coordination to Provide Health-Sector Continuity of Care for People With

- Multimorbidity: Protocol for a Mixed Methods Study. *JMIR research protocols* 2019;8(12):e15006. doi: 10.2196/15006
45. Russell J, Grant CC, Morton SMB. Multimorbidity in Early Childhood and Socioeconomic Disadvantage: Findings From a Large New Zealand Child Cohort. *Acad Pediatr* 2019 doi: 10.1016/j.acap.2019.09.007
 46. Khan N, Rahman M, Mitra D, et al. Prevalence of multimorbidity among Bangladeshi adult population: a nationwide cross-sectional study. *BMJ Open* 2019;9(11):e030886. doi: 10.1136/bmjopen-2019-030886
 47. Kristensen K, Konig HH, Hajek A. The association of multimorbidity, loneliness, social exclusion and network size: findings from the population-based German Ageing Survey. *BMC Public Health* 2019;19(1):1383. doi: 10.1186/s12889-019-7741-x
 48. Madlock-Brown C, Reynolds RB. Identifying obesity-related multimorbidity combinations in the United States. *Clin Obes* 2019;9(6):e12336. doi: 10.1111/cob.12336
 49. Ferro MA, Lipman EL, Van Lieshout RJ, et al. Multimorbidity in Children and Youth Across the Life-course (MY LIFE): protocol of a Canadian prospective study. *BMJ Open* 2019;9(11):e034544. doi: 10.1136/bmjopen-2019-034544
 50. Boye LK, Mogensen CB, Mechlenborg T, et al. Older multimorbid patients' experiences on integration of services: a systematic review. *BMC Health Serv Res* 2019;19(1):795. doi: 10.1186/s12913-019-4644-6
 51. Ashworth M, Durbaba S, Whitney D, et al. Journey to multimorbidity: longitudinal analysis exploring cardiovascular risk factors and sociodemographic determinants in an urban setting. *BMJ Open* 2019;9(12):e031649. doi: 10.1136/bmjopen-2019-031649
 52. Basham CA, Karim ME. Multimorbidity prevalence in Canada: a comparison of Northern Territories with Provinces, 2013/14. *Int J Circumpolar Health* 2019;78(1):1607703. doi: 10.1080/22423982.2019.1607703
 53. Boehmer KR, Holland DE, Vanderboom CE. Identifying and addressing gaps in the implementation of a community care team for care of Patients with multiple chronic conditions. *BMC Health Serv Res* 2019;19(1):843. doi: 10.1186/s12913-019-4709-6
 54. Ploeg J, Yous ML, Fraser K, et al. Healthcare providers' experiences in supporting community-living older adults to manage multiple chronic conditions: a qualitative study. *BMC Geriatr* 2019;19(1):316. doi: 10.1186/s12877-019-1345-2
 55. Pereira F, Roux P, Santiago-Delefosse M, et al. Optimising medication management for polymedicated home-dwelling older adults with multiple chronic conditions: a mixed-methods study protocol. *BMJ Open* 2019;9(10):e030030. doi: 10.1136/bmjopen-2019-030030
 56. Woodford HJ, Fisher J. New horizons in deprescribing for older people. *Age Ageing* 2019;48(6):768-75. doi: 10.1093/ageing/afz109
 57. Seo S. Multimorbidity Development in Working People. *Int J Environ Res Public Health* 2019;16(23) doi: 10.3390/ijerph16234749
 58. Hanlon P, Hannigan L, Rodriguez-Perez J, et al. Representation of people with comorbidity and multimorbidity in clinical trials of novel drug therapies: an individual-level participant data analysis. *BMC Med* 2019;17(1):201. doi: 10.1186/s12916-019-1427-1
 59. Rijken M, van der Heide I. Identifying subgroups of persons with multimorbidity based on their needs for care and support. *BMC Fam Pract* 2019;20(1):179. doi: 10.1186/s12875-019-1069-6
 60. Sirois C, Lunghi C, Berthelot W, et al. Benefits, risks and impacts on quality of life of medications used in multimorbid older adults: a Delphi study. *Int J Clin Pharm* 2019 doi: 10.1007/s11096-019-00935-y

61. Rijken M, Lette M, Baan CA, et al. Assigning a Prominent Role to "The Patient Experience" in Assessing the Quality of Integrated Care for Populations with Multiple Chronic Conditions. *Int J Integr Care* 2019;19(3):19. doi: 10.5334/ijic.4656
62. Gonzalez-Gonzalez AG, Schmucker C, Blom J, et al. Health-related preferences of older patients with multimorbidity: the protocol for an evidence map. *BMJ Open* 2019;9(9):e029724. doi: 10.1136/bmjopen-2019-029724
63. Ebrahimoghli R, Janati A, Sadeghi-Bazargani H, et al. Epidemiology of multimorbidity in Iran: An investigation of a large pharmacy claims database. *Pharmacoepidemiol Drug Saf* 2020;29(1):39-47. doi: 10.1002/pds.4925
64. Ghosh S, Choi WY, Williams A, et al. Burden on Caregivers of Adults with Multiple Chronic Conditions: Intersectionality of Age, Gender, Education level, Employment Status, and Impact on Social Life. *Can J Aging* 2019:1-12. doi: 10.1017/S071498081900045X
65. Berntsen GKR, Dalbakk M, Hurley JS, et al. Person-centred, integrated and pro-active care for multi-morbid elderly with advanced care needs: a propensity score-matched controlled trial. *BMC Health Serv Res* 2019;19(1):682. doi: 10.1186/s12913-019-4397-2
66. Gaga M, Powell P, Almagro M, et al. ERS Presidential Summit 2018: multimorbidities and the ageing population. *ERJ Open Res* 2019;5(3) doi: 10.1183/23120541.00126-2019
67. Horn AB, Boettcher VS, Holzer BM, et al. Couples Adjusting to Multimorbidity: A Dyadic Study on Disclosure and Adjustment Disorder Symptoms. *Front Psychol* 2019;10:2499. doi: 10.3389/fpsyg.2019.02499
68. Lee HJ, Yun J. Health-related quality of life in South Korean community-dwelling older adults with multimorbidity: a convergent parallel mixed-methods approach. *Qual Life Res* 2019 doi: 10.1007/s11136-019-02360-0
69. Butterworth JE, Hays R, McDonagh ST, et al. Interventions for involving older patients with multi-morbidity in decision-making during primary care consultations. *Cochrane Database Syst Rev* (2):CD003638 2019;2019(10) doi: 10.1002/14651858.CD013124.pub2
70. Nguyen H, Chua KC, Dregan A, et al. Factors Associated With Multimorbidity Patterns in Older Adults in England: Findings From the English Longitudinal Study of Aging (ELSA). *J Aging Health* 2019:898264319891026. doi: 10.1177/0898264319891026
71. Schuttner L, Reddy A, Rosland AM, et al. Association of the Implementation of the Patient-Centered Medical Home with Quality of Life in Patients with Multimorbidity. *J Gen Intern Med* 2020;35(1):119-25. doi: 10.1007/s11606-019-05429-1
72. Gonzalez AG, Schmucker C, Nothacker J, et al. Health-related preferences of older patients with multimorbidity: an evidence map. *BMJ Open* 2019;9(12):e034485. doi: 10.1136/bmjopen-2019-034485
73. Rodriguez-Perez A, Alfaro-Lara ER, Sierra-Torres MI, et al. Validation of the LESS-CHRON criteria: reliability study of a tool for deprescribing in patients with multimorbidity. *Eur J Hosp Pharm* 2019;26(6):334-38. doi: 10.1136/ejhpharm-2017-001476
74. Beeler PE, Cheetham M, Held U, et al. Depression is independently associated with increased length of stay and readmissions in multimorbid inpatients. *Eur J Intern Med* 2019 doi: 10.1016/j.ejim.2019.11.012
75. Garnett A, Ploeg J, Markle-Reid M, et al. Self-Report Tools for Assessing Physical Activity in Community-Living Older Adults with Multiple Chronic Conditions: A Systematic Review of Psychometric Properties and Feasibility. *Can J Aging* 2020;39(1):12-30. doi: 10.1017/S0714980819000357
76. Kristensen K, Konig HH, Hajek A. The longitudinal association of multimorbidity on loneliness and network size: Findings from a population-based study. *Int J Geriatr Psychiatry* 2019;34(10):1490-97. doi: 10.1002/gps.5158

77. Junius-Walker U, Schleef T, Vogelsang U, et al. How older patients prioritise their multiple health problems: a qualitative study. *BMC Geriatr* 2019;19(1):362. doi: 10.1186/s12877-019-1373-y
78. Stickley A, Koyanagi A, Ueda M, et al. Physical multimorbidity and suicidal behavior in the general population in the United States. *J Affect Disord* 2020;260:604-09. doi: 10.1016/j.jad.2019.09.042
79. Ng CJ, Lee YK, Abdullah A, et al. Shared decision making: A dual-layer model to tackling multimorbidity in primary care. *J Eval Clin Pract* 2019;25(6):1074-79. doi: 10.1111/jep.13163
80. Salman A, Sellami M. Do Older Adults with Multimorbidity Meet the Recommended Levels of Physical Activity? An Analysis of Scottish Health Survey. *Int J Environ Res Public Health* 2019;16(19) doi: 10.3390/ijerph16193748
81. Stumm J, Thierbach C, Peter L, et al. Coordination of care for multimorbid patients from the perspective of general practitioners - a qualitative study. *BMC Fam Pract* 2019;20(1):160. doi: 10.1186/s12875-019-1048-y
82. Mann C, Shaw ARG, Guthrie B, et al. Can implementation failure or intervention failure explain the result of the 3D multimorbidity trial in general practice: mixed-methods process evaluation. *BMJ Open* 2019;9(11):e031438. doi: 10.1136/bmjopen-2019-031438
83. Palmer K, Carfi A, Angioletti C, et al. A Methodological Approach for Implementing an Integrated Multimorbidity Care Model: Results from the Pre-Implementation Stage of Joint Action CHRODIS-PLUS. *Int J Environ Res Public Health* 2019;16(24) doi: 10.3390/ijerph16245044
84. Read J, Sharpe L, Burton AL, et al. A randomized controlled trial of internet-delivered cognitive behaviour therapy to prevent the development of depressive disorders in older adults with multimorbidity. *J Affect Disord* 2019 doi: 10.1016/j.jad.2019.11.077
85. Battegay E. Multimorbidity is a game changer. *Swiss Med Wkly* 2019;149:w20131. doi: 10.4414/smw.2019.20131
86. Pearson-Stuttard J, Ezzati M, Gregg EW. Multimorbidity-a defining challenge for health systems. *Lancet Public Health* 2019;4(12):e599-e600. doi: 10.1016/S2468-2667(19)30222-1
87. Nicholson K, Makovski TT, Stranges S. The integration of primary care and public health to improve population health: tackling the complex issue of multimorbidity. *Int J Public Health* 2019;64(7):983-84. doi: 10.1007/s00038-019-01278-1
88. McCallum M, Gray CM, Hanlon P, et al. Exploring the utility of self-determination theory in complex interventions in multimorbidity: A qualitative analysis of patient experiences of the CARE Plus intervention. *Chronic Illn* 2019:1742395319884106. doi: 10.1177/1742395319884106